



Article list EFOY Consumer

- New EFOY 80 / 150 / EFOY Pro 2800 BT
- EFOY batteries
- Spare parts

Valid from: 01.01.2023

Valid in Europe

Technical changes and errors excepted.




Valid from: 01.01.2022

Valid in Europe









Technical changes and errors excepted.

EFOY fuel cells

Fuel cell: automatic charger for 12 V and 24 V batteries (lead-acid, lead-gel, AGM and LiFePO4 batteries)



	Article	Article information	Article no.
	EFOY 80 BT	Max. Output power: 40 W Dimensions (L x W x H): 448 x 198 x 275 mm Weight: 6,5 kg <u>BT accessory set included</u>	158 000 002
	EFOY 150 BT	Max. Output power: 75 W Dimensions (L x W x H): 448 x 198 x 275 mm Weight: 6.9 kg <u>BT accessory set included</u>	158 000 022
	EFOY Pro 2800 BT	Max. Output power: 125 W Dimensions (L x W x H): 448 x 198 x 275 mm Weight: 7.8 kg <u>BT accessory set included</u>	158 000 082
Accessory set	BT Accessories Set	Content see below	158 003 002

Content BT accessory set:

					
EFOY Bluetooth Adapter BT2	Brackets	Service Fluid	Fuel cartridge holder	Belt for fuel cartridge holder	External face plate
					
Off-heat tube	Off-heat bow OH3	Charge Line CL5 and fuses	Insulated exhaust hose	User manual	

EFOY Lithium Batteries

Battery: 12 V LiFePO4 battery, use possible individually or in combination with an EFOY fuel cell

	Article	Article information	Article no.
	EFOY Li 70 12 V	Nominal capacity: 70 Ah / nominal voltage: 12.8 V Technology: LiFePO4 Dimensions (L x D x H): 269 x 175 x 190 mm Weight: 11.8 kg <u>EFOY Li batteries accessories set included</u>	155 000 032
	EFOY Li 105 12 V	Nominal capacity: 105 Ah / Nominal voltage: 12.8 V Technology: LiFePO4 Dimensions (L x W x H): 368 x 175 x 190 mm Weight: 16.3 kg <u>EFOY Li batteries accessories set included</u>	155 000 033

Contents: EFOY Li batteries accessories set:



Battery Activator



Battery Clamp Adapter M8



Sealing Plug RJ12

User Manual

EFOY fuel cartridges and service fluid









	Article	Article information	Article no.
	Fuel cartridge M5*	Capacity: 5 l (capacity: 5.6 kWh). Dimensions (L x W x H): 19.0 x 14.5 x 28.3 cm Packing unit: 2 fuel cartridges * not available in all countries	150 905 006
	Fuel cartridge M10	Capacity: 10 l (capacity: 11.1 kWh). Dimensions (L x W x H): 23.0 x 19.3 x 31.8 cm Packing unit: 2 fuel cartridges	150 905 008
	Service Fluid	Content: 100 ml	150 903 001

5 years warranty certificate









	Article	Article information	Article no.
	5-year warranty certificate EFOY 80	Certificate for 5-year warranty for the EFOY 80	158 901 011
	5-year warranty certificate EFOY 150	Certificate for 5-year warranty for the EFOY 150	158 901 012
	5-year warranty certificate EFOY Pro 2800	Certificate for 5 years warranty for the EFOY Pro 2800	158 901 018











Original EFOY |

	Article	Article information	EFOY 80 / 150	EFOY battery	EFOY COMFORT	Article no.
	EFOY Bluetooth Adapter BT2 Set	Adapter to operate the EFOY and the EFOY Pro fuel cells EFOY batteries with the EFOY App. <u>Article includes:</u> - Bluetooth Adapter with cable - Port Doubler - Quick Guide	x	x		158 000 190

	Article	Article information	EFOY 80 / 150	EFOY battery	EFOY COMFORT	Article no.
	EFOY Bluetooth Adapter BT1 Set	Adapter to operate the EFOY COMFORT with the EFOY App. <u>Article includes:</u> - Bluetooth Adapter with cable - Quick Guide			x	151 000 193
	Operating panel OP3 set	Operating panel for the EFOY 80 or EFOY 150 fuel cell <u>Article includes:</u> - 4.3" TFT display - Data cable (3 metres) - Port Doublor	x			158 077 003
	EFOY COMFORT OP2 operating panel with data cable	The operating panel for the EFOY COMFORT <u>Article includes:</u> - White frame - Surface box - Data cable DL2 (10 metres) - Drilling template			x	151 077 053
	Control panel EFOY COMFORT OP2 with data cable Black	Black control panel for the EFOY COMFORT <u>Article includes:</u> - Black frame - Surface box - Data cable DL2 (10 metres) - Drilling template			x	151 077 057
	White frame for operating panel EFOY COMFORT OP2	White frame for the EFOY COMFORT operating panel.			x	151 077 045
	Black frame for operating panel EFOY COMFORT OP2	Black frame for the EFOY COMFORT operating panel.			x	151 077 051
	Surface-mounted Operating panel EFOY COMFORT White	White surface-mounted box for the EFOY COMFORT operating panel. <u>Article includes:</u> - Mounting screws for the surface box			x	151 077 054
	Surface-mounted box Operating panel EFOY COMFORT Black	Black surface-mounted box for the EFOY COMFORT operating panel. <u>Article includes:</u> - Mounting screws for the surface box			x	151 077 055


	Article	Article information	EFOY 80 / 150	EFOY battery	EFOY COMFORT	Article no.
	Mounting plate MP3 set	Mounting plate for the EFOY 80 or EFOY 150 fuel cell	x			158 908 007
	Mounting plate EFOY COMFORT	Mounting plate for the EFOY COMFORT.			x	151 908 020
	EFOY COMFORT fastening belt	Belt for mounting the EFOY COMFORT on the mounting plate.			x	151 908 022
	Bracket	Bracket for mounting the EFOY 80 or EFOY 150 fuel cell (recommended amount for mounting: 2 brackets)	x			158 908 002
	Fuel cartridge holder	Fuel cartridge holder for the M5 and M10 fuel cartridges.	x		x	151 905 021
	Belt for fuel cartridge holder	Belt for the fuel cartridge holder	x		x	151 908 003
	Off-heat bow OH3	Diameter: 10 cm	x			158 903 001
	Off-heat tube OT3	Tube for mounting the off-heat bow OH3 Length: 20 to 40 cm Diameter: 10 cm	x		x	158 903 002
	External face plate	Diameter : 10 cm	x		x	151 903 013
	Insulated exhaust hose	Length: 1.2 m	x		x	151 904 003
	EFOY COMFORT off-heat set	<u>Article includes:</u> - off-heat tube - Off-heat flange EFOY COMFORT - External face plate - Off-heat bow - EFOY COMFORT screw set			x	151 903 027




	Article	Article information	EFOY 80 / 150	EFOY battery	EFOY COMFORT	Article no.
	Off-heat flange EFOY COMFORT	<u>Article includes:</u> - Off-heat flange EFOY COMFORT - Screw set			x	151 903 030
	Off-heat bow EFOY COMFORT	<u>Article includes:</u> - Off-heat bow - Screw set			x	151 903 029
	Off-heat tube	Length: 51 to 125 cm; Diameter: 10 cm			x	151 904 001
	Charge line CL5	The Charge line is used to connect the EFOY 80 or EFOY 150 fuel cell to the battery (length 3m) <u>Article includes:</u> - Connection line to fuel cell (3 m) - Fuse set Power - Fuse set Sense	x			158 906 018
	Connection line (CL5) to fuel cell	Connecting line to connect the EFOY 80 or EFOY 150 fuel cell to the battery (length 3m) <u>Not included:</u> - Fuses	x			158 906 001
	Fuse set Sense	Fuse holder with 2 A fuse and flat plugs	x			158 906 013
	Fuse set Power	Fuse holder with 20 A fuse and flat plugs and mounting holder for the sense and power fuse sets	x			158 906 012
	Charging line CL4	Charging line for connecting the EFOY COMFORT to the battery. <u>Article includes:</u> Connection line to the fuel cell (1 m) Charging line "Sense" incl. fuse 2 A Charging line "Power" incl. fuse 15 A			x	151 906 034

	Article	Article information	EFOY 80 / 150	EFOY battery	EFOY COMFORT	Article no.
	Connection line (CL4) for fuel cell	Connection charging line from the fuel cell to the charging cables; length: 1 m			x	151 906 004
	Line with battery fuse 2A Sense	Charging line "Sense" with 2 A fuse; Length: 50 cm			x	151 906 007
	Line with battery fuse 15A Power	Charging line "Power" with 15 A fuse; length: 50 cm			x	151 906 024
	Extension line power cable 8m	Extension line for the power line; Length: 8 m			x	151 906 006
	Extension line sense cable 8m	Extension line for the sense line; Length: 8 m			x	151 906 005
	Connecting Kit RJ12 3 meters	Connection kit to connect the EFOY fuel cell to the EFOY Li 70 and EFOY Li 105 battery <u>Article includes:</u> - Data line RJ12 3 meter - Port Doubler RJ12 - SFC Bus end part		x		155 906 008
	Connecting Kit RJ12 10 meter	Connection kit to connect the EFOY fuel cell to the EFOY Li 70 and EFOY Li 105 battery <u>Article includes:</u> - Data line RJ12 3 meter - Port Doubler RJ12 - SFC Bus end part		x		155 906 009
	Data line RJ12 1 meters	Data line to connect the EFOY 80 and EFOY 150 fuel cells to the EFOY Li 70 and EFOY Li 105 battery or to connect the fuel cells to the operating panel OP3	x	x		158 906 002
	Data line RJ12 3 meters	Data line to connect the EFOY 80 and EFOY 150 fuel cells to the EFOY Li 70 and EFOY Li 105 battery or to connect the fuel cells to the operating panel OP3	x	x		158 906 007
	Article	Article information	EFOY 80 / 150	EFOY battery	EFOY COMFORT	Article no.
	Data line RJ12 10 meters	Data line to connect the EFOY 80 and EFOY 150 fuel cells to the EFOY Li 70 and EFOY Li 105 battery or to connect the fuel cells to the operating panel OP3	x	x		158 906 021

	Port Doubler RJ12-2*1.1	Adapter to simultaneously use the Bluetooth Adapters BT2 and the operating panel OP3 with the EFOY Li battery	x	x		158 906 009
	SFC Bus end part	End part to terminate the SFC Bus connection	x			158 906 016
	Data line DL2	Data line DL2 (10 m) for operating panel OP2.			x	151 075 033
	Router RUT240 Set	Router Set to connect the EFOY to the Internet <u>Article includes:</u> - Router RUT240 - Power cable for Router (DC) - Outdoor Antenna - DIN rail holder for the Router - Ethernet cable (2 meters) <u>Not included:</u> - SIM card	x			158 906 028
	TP-Link Set	WLAN router with data line <u>Article includes:</u> - WLAN Router - Ethernet line (10 metres) - Quick Guide	x			158 906 027
	User Manual EFOY 80 or EFOY 150	User Manual in six languages: DE, EN, FR, IT, ES, NL, SV, NO, DK, FI - Also available online at: https://www.my-efoy.com/en/service/downloads/	x			158 901 002
	User Manual EFOY COMFORT	User Manual in six languages: DE, EN, FR, IT, ES, NL Also available online at: https://www.my-efoy.com/en/service/downloads/			x	151 901 096
	User Manual EFOY COMFORT SCAN	User Manual in four languages: SV, NO, DK, FI Also available online at: https://www.my-efoy.com/en/service/downloads/			x	151 901 126

EFOY Lithium Battery Accessories

	Article	Article information	EFOY 80 / 150	EFOY battery	EFOY COMFORT	Article no.
	Battery Activator	Activates the battery from its transportation and storage "sleep mode".		x		158 906 017

	<p>Battery Clamp Adaptor M8</p>	<p>M8 Clamp Adaptors to connect crocodile clamps to the EFOY battery Spanner size for "+ pole": 20 Spanner size for "- pole": 18</p>		x		155 908 001
	<p>Sealing Plugs RJ12</p>	<p>Plugs to protect the data interfaces</p>		x		155 908 002
	<p>User Manual EFOY Li Batteries</p>	<p>User Manual in ten languages: DE, EN, FR, IT, ES, NL, SV, NO, DK, FI Also available online at: https://www.my-efoy.com/en/service/downloads/</p>		x		155 901 003
	<p>EFOY Bluetooth Adapter BT2 Set</p>	<p>Adapter to operate the EFOY fuel cell and the EFOY batteries with the EFOY App. <u>Article includes:</u> - Bluetooth Adapter with cable - Port Doubler - Quick Guide</p>	x	x		158 000 190